

**SINCE  
1961**

# ELMECO

*Advanced Solutions  
for Cold Beverages*

# Clock

*...cool at  
any time*



# ELMECO

ADVANCED SOLUTIONS FOR COLD BEVERAGES  
SINCE 1961



FIRST CLASS  
Mix Better



[www.elmeco.com](http://www.elmeco.com)



## 🇬🇧 First Class

Easily adapted to suit your needs, this multi-functional machine is perfect for granita, iced coffee and tea, semi-frozen and frozen desserts, cocktails, sorbets, sangria, lemonade and much, much more.

Thanks to the patented 'total cold' system, the product is kept at a constant temperature, right down to the very last drop, guaranteeing optimal product quality and minimal wastage.

Completely seal-free, the machine is easy to disassemble and clean. An efficient, electronic core makes it simple and intuitive to use.



## Exclusive features

**DOUBLE AUGERS**  
better mix



**TOTAL COLD SYSTEM**  
no waste, quality until the last drop




**NO RUBBER GASKET**  
no leaking, no periodical maintenance



**ELECTRONIC SYSTEM**  
density control, auto-diagnostic, defrost



| Model             | FC1              |        | FC2              |         | FC3              |        |
|-------------------|------------------|--------|------------------|---------|------------------|--------|
| Height            | 30.35 in         | 771 mm | 30.35 in         | 771 mm  | 23.86 in         | 771 mm |
| Width             | 9.45 in          | 240 mm | 16.93 in         | 430 mm  | 17.30 in         | 620 mm |
| Depth             | 22.28 in         | 566 mm | 21.57 in         | 548 mm  | 18.23 in         | 548 mm |
| Weight            | 68.3 lb          | 31 kg  | 115 lb           | 52,5 kg | 71.65 lb         | 64 kg  |
| Capacity          | 3.17 USgal       | 12 Lt  | 6.34 USgal       | 24 Lt   | 3.96 USgal       | 36Lt   |
| Power             | 0.67 hp          | 500 W  | 1.34 hp          | 1000 W  | 0.72 hp          | 1200 W |
| Voltage Frequency | 220-240 V_ 50 Hz |        | 220-240 V_ 50 Hz |         | 220-240 V_ 50 Hz |        |
|                   | 220 V_ 60 Hz     |        | 220 V_ 60 Hz     |         | 220 V_ 60 Hz     |        |
|                   | 115 V_ 60 Hz     |        | 115 V_ 60 Hz     |         | 115 V_ 60 Hz     |        |

colours:  Our company reserves the right to make changes without any notice. *L'azienda si riserva il diritto di apportare, modifiche senza preavviso.*



If the room temperature is  $>37^{\circ}\text{C}$  (max  $42^{\circ}\text{C}$ ), we suggest to use the **First class Tropical** model (FC2; FC3)

Se la temperatura ambiente è  $>37^{\circ}\text{C}$  (max  $42^{\circ}\text{C}$ ), si consiglia l'uso del modello **First class Tropical** (FC2; FC3)

## WARRANTY / GARANZIA



## 🇮🇹 First Class

Una macchina polifunzionale, che si adatta alle tue esigenze. perfetta per granita, caffè/té ghiacciati o in crema fredda, cocktail, sorbetto, sangria, limonata e molto altro.

Grazie al sistema brevettato "total cold", il prodotto è tenuto a temperatura costante fino all'ultima goccia, senza sprechi e con qualità garantita.

Facile da disassemblare e pulire, non ha guarnizioni. Un efficace cuore elettronico rende semplice il suo utilizzo.



ADVANCED SOLUTIONS FOR COLD BEVERAGES  
SINCE 1961

Via Circumvallazione Esterna, 12  
80025 Casandrino, Napoli, Italy  
Tel +39 081 5055724 Fax +39 081 5055726  
info@elmeco.com - www.elmeco.com

6047 Tyvola Glen Circle  
Charlotte NC 28217, U.S.A.  
Tel: +1.877.435.6326 ext. 101 Fax: (704) 666-5141  
info@elmeco.com

# ELMECO

ADVANCED SOLUTIONS FOR COLD BEVERAGES  
SINCE 1961

FIRST CLASS  
light panel



[www.elmeco.com](http://www.elmeco.com)





## 🇬🇧 First Class *light panel*

Easily adapted to suit your needs, this multi-functional machine is perfect for granita, iced coffee and tea, semi-frozen and frozen desserts, cocktails, sorbets, sangria, lemonade and much, much more.

Thanks to the patented 'total cold' system, the product is kept at a constant temperature, right down to the very last drop, guaranteeing optimal product quality and minimal wastage.

Plus, FC has been equipped of a led backlight panel to customize better the machine and ensure an appealing look.



| Model             | FC1              |        | FC2              |         | FC3              |        |
|-------------------|------------------|--------|------------------|---------|------------------|--------|
| Height            | 30.35 in         | 771 mm | 30.35 in         | 771 mm  | 23.86 in         | 771 mm |
| Width             | 9.45 in          | 240 mm | 16.93 in         | 430 mm  | 17.30 in         | 620 mm |
| Depth             | 22.28 in         | 566 mm | 21.57 in         | 548 mm  | 18.23 in         | 548 mm |
| Weight            | 68.3 lb          | 31 kg  | 115 lb           | 52,5 kg | 71.65 lb         | 64 kg  |
| Capacity          | 3,17 USgal       | 12 Lt  | 6,34 USgal       | 24 Lt   | 3,96 USgal       | 36Lt   |
| Power             | 0,67 hp          | 500 W  | 1,34 hp          | 1000 W  | 0,72 hp          | 1200 W |
| Voltage Frequency | 220-240 V_ 50 Hz |        | 220-240 V_ 50 Hz |         | 220-240 V_ 50 Hz |        |
|                   | 220 V_ 60 Hz     |        | 220 V_ 60 Hz     |         | 220 V_ 60 Hz     |        |
|                   | 115 V_ 60 Hz     |        | 115 V_ 60 Hz     |         | 115 V_ 60 Hz     |        |

colours: Our company reserves the right to make changes without any notice.

## Exclusive features

DOUBLE AUGERS  
better mix



TOTAL COLD SYSTEM  
no waste, quality until the last drop



NO RUBBER GASKET  
no leaking, no periodical maintenance



ELECTRONIC SYSTEM  
ensity control, auto-diagnostic, defrost



*L'azienda si riserva il diritto di apportare, modifiche senza preavviso.*

## WARRANTY / GARANZIA



## 🇮🇹 First Class *light panel*

Una macchina polifunzionale che si adatta alle tue esigenze perfetta per granita, caffè/tè ghiacciati o in crema fredda, cocktail, sorbetto, sangria, limonata e molto altro.

Grazie al sistema brevettato "total cold" il prodotto è tenuto a temperatura costante fino all'ultima goccia, senza sprechi e con qualità garantita.

*L'aggiunta del pannello retroilluminato a led permette una completa personalizzazione e un look più fresco e accattivante!*



ADVANCED SOLUTIONS FOR COLD BEVERAGES  
SINCE 1961

Via Circumvallazione Esterna, 12  
80025 Casandrino, Napoli, Italy  
Tel +39 081 5055724 Fax +39 081 5055726  
info@elmeco.com - www.elmeco.com

6047 Tyvola Glen Circle  
Charlotte NC 28217, U.S.A.  
Tel: +1.877.435.6326 ext. 101 Fax: (704) 666-5141  
info@elmeco.com


# ELMECO

ADVANCED SOLUTIONS FOR COLD BEVERAGES  
SINCE 1961

PATENTED  
IN  
2005



BIG BIZ  
BIG business  
compact size



[www.elmeco.com](http://www.elmeco.com)



## 🇬🇧 Big Biz

Big Biz is a multi-functional machine that is easy to use and clean. Extremely flexible and space-saving, Big Biz guarantees big profits, with the added bonus of low investment and maintenance costs.



BB produces small quantities of granita, making it easy to adapt the product to suit your clients' ever-changing tastes.

Perfect for Italian-style granita, iced coffee and tea, soft drinks, desserts, sorbets ice-cold cocktails, lemonade and much, much more...

Discover new recipes, invent new flavours!



| Model / Modello                           | BB1              |        | BB2              |        |
|---|------------------|--------|------------------|--------|
| Height / Altezza                          | 21,80 in         | 552 mm | 21,80 in         | 552 mm |
| Width / Larghezza                         | 9,90 in          | 250 mm | 17,30 in         | 440 mm |
| Depth / Profondità                        | 18,70 in         | 475 mm | 18,70 in         | 475 mm |
| Weight / Peso                             | 52,9 lb          | 24 kg  | 75 lb            | 34 kg  |
| Capacity / Capacità                       | 1,58 USgal       | 6 Lt   | 3,17 USgal       | 12 Lt  |
| Power / Potenza                           | 0,43 hp          | 320 W  | 0,72 hp          | 540 W  |
| Voltage_Frequency/<br>Voltaggio_Frequenza | 220-240 V_ 50 Hz |        | 220-240 V_ 50 Hz |        |
|   | 220 V_ 60 Hz     |        | 220 V_ 60 Hz     |        |
|   | 115 V_ 60 Hz     |        | 115 V_ 60 Hz     |        |
|   | 100 V_ 50/60 Hz  |        | 100 V_ 50/60 Hz  |        |

colours:  


Our company reserves the right to make changes without any notice.

## WARRANTY / GARANZIA

**5 years** - compressor  
**anni** - compressore

**3 years** - electronic board  
**anni** - elettronica

**2 years** - parts(excepted plastic items)  
**anni** - parti (non in plastica)





ADVANCED SOLUTIONS FOR COLD BEVERAGES  
SINCE 1961

Elmeco srl

Via Circumvallazione Esterna, 12  
80025 Casandrino, Napoli, Italy  
Tel +39 081 5055724 Fax +39 081 5055726  
info@elmeco.com - www.elmeco.com

Elmeco USA

6047 Tyvola Glen Circle  
Charlotte NC 28217, U.S.A.  
Tel: +1.877.435.6326 ext. 101 Fax: (704) 666-5141  
info@elmeco.com

## Exclusive features

COMPACT & EASY



TOTAL COLD SYSTEM

no waste, quality until the last drop



NO RUBBER GASKET

no leaking, no periodical maintenance



ELECTRONIC SYSTEM

density control, auto-diagnostic, defrost



- 1 Removable external condenser air-filter  
Filtro esterno removibile



L'azienda si riserva il diritto di apportare, modifiche senza preavviso.

## 🇮🇹 Big Biz

Big Biz è una macchina polifunzionale e facile da usare e ripulire, offre grande flessibilità e occupa poco spazio. BB garantisce un grande profitto con un piccolo investimento e praticamente inesistenti spese di manutenzione.

BB produce piccole quantità di granita adatte ad assecondare frequenti cambi di gusto.

Perfetto per granita, crema caffè e tè, o bibite e creme fredde, sorbetti, cocktail ghiacciati, limonata e molto altro...

Scopri nuove ricette, inventa nuovi gusti!

# ELMECO

ADVANCED SOLUTIONS FOR COLD BEVERAGES  
SINCE 1961




BLarge

think wider  
think positive

[www.elmeco.com](http://www.elmeco.com)






## 🇬🇧 BLarge

BLarge is a young but highly proficient machine, resulting from Elmeco's many years of experience in the field.

Highly reliable and compact, it still maintains all the necessary technical features of Elmeco machines, and also comes with a portion-control dispensing system.

Perfect for granita, soft drinks, semi-frozen and frozen desserts, iced coffee and tea, cocktails, sorbet, frozen yoghurt, sangria, lemonade and much, much more...

**Discover new recipes, invent new flavours!**



| Model / Modello                            | BL1                              |        | BL2                              |         |
|--|----------------------------------|--------|----------------------------------|---------|
| Height / Altezza                           | 23.86 in                         | 606 mm | 23.86 in                         | 606 mm  |
| Width / Larghezza                          | 9.90 in                          | 250 mm | 17,30 in                         | 440 mm  |
| Depth / Profondità                         | 18,23 in                         | 463 mm | 18,23 in                         | 463 mm  |
| Weight / Peso                              | 49 lb                            | 22 kg  | 71.65 lb                         | 32,5 kg |
| Capacity / Capacità                        | 1.98 US gal                      | 7,5 Lt | 3,96 US gal                      | 15 Lt   |
| Power / Potenza                            | 0.43 hp                          | 320 W  | 0.72 hp                          | 540 W   |
| Voltage_Frequency /<br>Voltaggio_Frequenza | 220-240 V_ 50 Hz<br>115 V_ 60 Hz |        | 220-240 V_ 50 Hz<br>115 V_ 60 Hz |         |

colours:  
■  
□

Our company reserves the right to make changes without any notice.

## WARRANTY / GARANZIA



**5 years** - compressor  
**anni** - compressore

**3 years** - electronic board  
**anni** - elettronica

**2 years** - parts(excepted plastic items)  
**anni** - parti (non in plastica)



## Exclusive features

SELF SERVICE  
DISPENSING SYSTEM



TOTAL COLD SYSTEM  
no waste, quality until the last drop



NO RUBBER GASKET  
no leaking, no periodical maintenance



ELECTRONIC SYSTEM  
density control, auto-diagnostic, defrost



- 1 patented dispensing system  
sistema di erogazione brevettato
- 2 removable external condenser air-filter  
filtro esterno removibile



L'azienda si riserva il diritto di apportare, modifiche senza preavviso.

## 🇮🇹 BLarge

BLarge è una macchina giovane ma esperta che deriva dall'esperienza che la Elmeco ha raggiunto fino ad ora. Mantiene ogni caratteristica tecnica e di affidabilità, occupa poco spazio ed è dotata di un sistema di erogazione a controllo porzioni.

Perfetta per granite, bibite e creme fredde, caffè/tè, cocktail, sorbetto, yogurt freddo, sangria(!), limonata e molto ancora..

**Scopri nuove ricette inventa nuovi gusti!**



Elmeco srl

Via Circumvallazione Esterna, 12  
80025 Casandrino, Napoli, Italy  
Tel +39 081 5055724 Fax +39 081 5055726  
info@elmeco.com - www.elmeco.com

Elmeco USA

6047 Tyvola Glen Circle  
Charlotte NC 28217, U.S.A.  
Tel: +1.877.435.6326 ext. 101 Fax: (704) 666-5141  
info@elmeco.com

# ELMECO


ADVANCED SOLUTIONS FOR COLD BEVERAGES  
SINCE 1961



BLarge Plus  
Light up  
your Business!



[www.elmeco.com](http://www.elmeco.com)




## 🇬🇧 BLarge Plus

BLarge is a young but highly proficient machine, resulting from Elmecco's many years of experience in the field. Highly reliable and compact, it still maintains all the necessary technical features of Elmecco machines, plus it has been equipped of a led lighting system to light up the product in the tanks!

Perfect for granita, soft drinks, semi-frozen and frozen desserts, iced coffee and tea, cocktails, sorbet and much, much more...

Discover new recipes, invent new flavours!



|                     |                  |        |
|---------------------|------------------|--------|
| Model / Modello     | BL2+             |        |
| Height / Altezza    | 23.86 in         | 606 mm |
| Width / Larghezza   | 9.90 in          | 250 mm |
| Depth / Profondità  | 18.23 in         | 463 mm |
| Weight / Peso       | 49 lb            | 22 kg  |
| Capacity / Capacità | 1.98 USgal       | 7,5 Lt |
| Power / Potenza     | 0.43 hp          | 320 W  |
| Voltage_Frequency/  | 220-240 V_ 50 Hz |        |
| Voltaggio_Frequenza | 115 V_ 60 Hz     |        |

colours:  
■  
□

Our company reserves the right to make changes without any notice.

## WARRANTY / GARANZIA



## Exclusive features

SELF SERVICE DISPENSING SYSTEM



TOTAL COLD SYSTEM  
no waste, quality until the last drop



NO RUBBER GASKET  
no leaking, no periodical maintenance



ELECTRONIC SYSTEM  
density control, auto-diagnostic, defrost



- 1 Patented dispensing system  
sistema di erogazione brevettato
- 2 removable external condenser air-filter  
filtro esterno removibile



L'azienda si riserva il diritto di apportare, modifiche senza preavviso.

## 🇮🇹 BLarge Plus

BLarge plus è dotata di **cupola luminosa**. E' una macchina giovane ma esperta che deriva dall'esperienza che la Elmecco ha raggiunto fino ad ora. Mantiene ogni caratteristica tecnica e di affidabilità Elmecco, occupa poco spazio ed è dotata di un sistema di **erogazione a controllo porzioni**.

Perfetta per **granite, bibite e creme fredde, caffè/tè, cocktail, sorbetto, yogurt freddo, sangria(!)**, limonata e molto ancora..

**ELMECCO**  
ADVANCED SOLUTIONS FOR COLD BEVERAGES  
SINCE 1961

Elmecco srl

Via Circumvallazione Esterna, 12  
80025 Casandrino, Napoli, Italy  
Tel +39 081 5055724 Fax +39 081 5055726  
info@elmecco.com - www.elmecco.com

Elmecco USA

6047 Tyvola Glen Circle  
Charlotte NC 28217, U.S.A.  
Tel: +1.877.435.6326 ext. 101 Fax: (704) 666-5141  
info@elmecco.com

**QUICKREAM**  
soft pleasure to taste

*a soft soul in  
a broad-shouldered  
machine*



**ELMECO**

ADVANCED SOLUTIONS FOR COLD BEVERAGES  
SINCE 1961

[www.elmecco.com](http://www.elmecco.com)





## 🇬🇧 Quickream

This machine has been specifically designed for making and dispensing semi-frozen and frozen ice-cream, frozen yoghurt, frappes and smoothies...

Quick and easy to disassemble and clean, Quickream guarantees maximum hygiene for milk-based products.

Thanks to the easy-to-use electronic functions and a patented dispensing system, ① the QK serves electronically measured portions of approximately 70 grammes each.

With its soft, appealing lines and a wide range of customisable shells, the QK will furnish your bar or restaurant in style.



- ① patented dispensing system  
sistema di erogazione brevettato
- ② the innovative removable external condenser air-filter  
l'innovativo filtro esterno removibile

|   |                  |        |
|---|------------------|--------|
| Model / Modello                           | QK1              |        |
| Height / Altezza                          | 23.86 in         | 712 mm |
| Width / Larghezza                         | 9.90 in          | 276 mm |
| Depth / Profondità                        | 18.23 in         | 471 mm |
| Weight / Peso                             | 49 lb            | 27 kg  |
| Capacity / Capacità                       | 1.98 USgal       | 4 Lt   |
| Power / Potenza                           | 0.43 hp          | 350 W  |
|   | 220-240 V_ 50 Hz |        |
| Voltage_Frequency/<br>Voltaggio_Frequenza | 220 V_ 60 Hz     |        |
|   | 115 V_ 60 Hz     |        |
|   | 100 V_ 50/60 Hz  |        |

colours:  
■  
□

Our company reserves the right to make changes without any notice.

## WARRANTY / GARANZIA



Intertek



Intertek

## Exclusive features

SELF SERVICE  
DISPENSING SYSTEM



TOTAL COLD SYSTEM  
no waste, quality until the last drop



NO RUBBER GASKET  
no leaking, no periodical maintenance



ELECTRONIC SYSTEM  
density control, auto-diagnostic, defrost



BRUSHLESS  
reduces energy consumption and noises



L'azienda si riserva il diritto di apportare, modifiche senza preavviso.

## 🇮🇹 Quickream

Ideato per la produzione ed erogazione di un gelato soffice e cremoso, yogurt freddo, frappè, frullati. Facile e veloce da smontare e pulire, Quickream garantisce la massima igiene con prodotti a base di latte.

Grazie all'elettronica di facile utilizzo e il brevettato sistema di erogazione, Qk eroga porzioni di circa 70 grammi ciascuna, conteggiate elettronicamente.

Dal design morbido e avvolgente, con ampie scocche personalizzabili, QK arreda il tuo locale.

# ELMECO

ADVANCED SOLUTIONS FOR COLD BEVERAGES  
SINCE 1961

Elmeco srl


Via Circumvallazione Esterna, 12  
80025 Casandrino, Napoli, Italy  
Tel +39 081 5055724 Fax +39 081 5055726  
info@elmeco.com - www.elmeco.com

Elmeco USA

6047 Tyvola Glen Circle  
Charlotte NC 28217, U.S.A.  
Tel: +1.877.435.6326 ext. 101 Fax: (704) 666-5141  
info@elmeco.com

# ELMECO

ADVANCED SOLUTIONS FOR COLD BEVERAGES  
SINCE 1961



Recharge  
your pleasure



Think  
innovative  
B SMART



[www.elmecco.com](http://www.elmecco.com)



## BSmart


Right from the very beginning, when we invented our first granita machine, we have made innovation one of our top priorities.

BSmart is the first multi-functional, electronic, refillable machine with portion control and cashless top-up functions. Easy to use and clean, BSmart is extremely flexible and also takes up very little space.

Perfect for Italian-style granita, iced coffee and tea, soft drinks, sorbets, ice-cold cocktails and much, much more...  
**Discover new recipes, invent new flavours!**



|   |                  |              |
|---|------------------|--------------|
| Model / Modello                           | BS1              |              |
| Height / Altezza                          | 23.86 in         | 606 mm       |
| Width / Larghezza                         | 9.90 in          | 250 mm       |
| Depth / Profondità                        | 18.23 in         | 463 mm       |
| Weight / Peso                             | 49 lb            | 22 kg        |
| Capacity / Capacità                       | 1.98 USgal       | 7,5 Lt       |
| Power / Potenza                           | 0.43 hp          | 320 W        |
| Voltage_Frequency/<br>Voltaggio_Frequenza | 220-240 V_ 50 Hz | 115 V_ 60 Hz |



colours:  
 

Our company reserves the right to make changes without any notice.  
*L'azienda si riserva il diritto di apportare, modifiche senza preavviso.*

## WARRANTY / GARANZIA



## Exclusive features

CREDIT MANAGEMENT SYSTEM



TOTAL COLD SYSTEM

no waste, quality until the last drop



NO RUBBER GASKET

no leaking, no periodical maintenance



NO SEAL

ELECTRONIC SYSTEM

density control, auto-diagnostic, defrost



**3** removable external condenser air-filter  
 filtro esterno removibile

**4** electronic key( credit charge)  
 chiavetta controllo crediti

**5** electronic key socket  
 attacco chiave crediti



## BSmart

*Sin dall'inizio della nostra storia, da quando abbiamo inventato la prima macchina per la granita, abbiamo fatto dell'innovazione una buona abitudine. BSmart è la prima macchina polifunzionale elettronica a ricarica e gestione crediti e controllo porzioni.*

*Facile da usare e da pulire, BS offre grande flessibilità ed occupa poco spazio.*

*Perfetto per granita, crema caffè e tè, o bibite fredde, sorbetti, cocktail ghiacciati, limonata e molto altro...  
 Scopri nuove ricette, inventa nuovi gusti!*

# ELMECO

ADVANCED SOLUTIONS FOR COLD BEVERAGES  
 SINCE 1961

Elmeco srl


Via Circumvallazione Esterna, 12  
 80025 Casandrino, Napoli, Italy  
 Tel +39 081 5055724 Fax +39 081 5055726  
 info@elmeco.com - www.elmeco.com

Elmeco USA

6047 Tyvola Glen Circle  
 Charlotte NC 28217, U.S.A.  
 Tel: +1.877.435.6326 ext. 101 Fax: (704) 666-5141  
 info@elmeco.com

# ELMECO

ADVANCED SOLUTIONS FOR COLD BEVERAGES  
SINCE 1961



Recharge  
your pleasure



SMART  
& SOFT

[www.elmeco.com](http://www.elmeco.com)





## 🇬🇧 QSmart

QSmart is a multi-functional, machine that manages credit and portion control using a cashless, top-up system.


Easy and quick to disassemble and clean, QSmart ensures maximum hygiene for milk-based products.

Thanks to the user-friendly electronics and the patented dispensing system, the QS serves 70-gram, electronically measured portions.

With a soft, attractive design and a customisable body shells, QS furnishes your bar or restaurant in style.



|  |                  |        |
|--|------------------|--------|
| Model / Modello                          | Q51              |        |
| Height / Altezza                         | 28 in            | 712 mm |
| Width / Larghezza                        | 10.9 in          | 276 mm |
| Depth / Profondità                       | 18.5 in          | 471 mm |
| Weight / Peso                            | 59.5 lb          | 27 kg  |
| Capacity / Capacità                      | 1.05 usgal       | 4 Lt   |
| Power / Potenza                          | 0.47 hp          | 350 W  |
|  | 220-240 V_ 50 Hz |        |
| Voltage_Frequency/<br>Votaggio_Frequenza | 220 V_ 60 Hz     |        |
|  | 115 V_ 60 Hz     |        |
|  | 100 V_ 50/60 Hz  |        |



colours:  
■ ■



## Exclusive features

CREDIT MANAGEMENT SYSTEM



TOTAL COLD SYSTEM  
no waste, quality until the last drop



NO RUBBER GASKET  
no leaking, no periodical maintenance



ELECTRONIC SYSTEM  
density control, auto-diagnostic, defrost



- 3 removable external condenser air-filter  
filtra esterno removibile
- 4 electronic key( credit charge)  
chiavetta controllo crediti
- 5 electronic key socket  
attacco chiave crediti

Our company reserves the right to make changes without any notice.  
*L'azienda si riserva il diritto di apportare, modifiche senza preavviso.*

## WARRANTY / GARANZIA

**5 years** - compressor  
**anni** - compressore

**3 years** - electronic board  
**anni** - elettronica

**2 years** - parts(excepted plastic items)  
**anni** - parti (non in plastica)





## 🇮🇹 QSmart!

Macchina polifunzionale elettronica a ricarica e gestione crediti e controllo porzioni. Facile e veloce da smontare e pulire, QSmart garantisce la massima igiene con prodotti a base di latte.

Grazie all'elettronica di facile utilizzo e il brevettato sistema di erogazione, QS eroga porzioni di circa 70 grammi ciascuna, conteggiate elettronicamente.

Dal design morbido e avvolgente, con ampie scocche personalizzabili, QS arreda il tuo locale.



### Elmeco srl

Via Circumvallazione Esterna, 12  
80025 Casandrino, Napoli, Italy  
Tel +39 081 5055724 Fax +39 081 5055726  
info@elmeco.com - www.elmeco.com

### Elmeco USA

6047 Tyvola Glen Circle  
Charlotte NC 28217, U.S.A.  
Tel: +1.877.435.6326 ext. 101 Fax: (704) 666-5141  
info@elmeco.com



ADVANCED SOLUTIONS FOR COLD BEVERAGES  
SINCE 1961

Autofill  
System  
for FCM




[www.elmecco.com](http://www.elmecco.com)

## FCM Autofill System features




- Available for Elmecco models FCM- 2 & FCM-3
- Bag-n-box(BIB) autofill system refills product at rate of 2-3oz per sec.(varies for different types of concentrate)
- Power cord included, must be plugged in individually from the machine (110V/60Hz)
- Equipped with automatic cleaning and sanitizing valves
- Contains pumps, tubes and solenoids in one, easy to handle box
- Equipped with automatic alarm when syrup BIB empty or insufficient water pressure provided



| model  | FC2 Autofill | FC3 Autofill |
|--------|--------------|--------------|
| height | 24" /60 cm   | 24" /60 cm   |
| width  | 20" /52 cm   | 20" /52 cm   |
| depth  | 11" /29 cm   | 11" /29 cm   |
| weight | 40lbs/18kg   | 42lbs/19kg   |

### WARRANTY



Intertek



Intertek

### FCM Autofill System benefits

- Easy to set up on the existing(non-autofill) machine(retrofit)
- Maximizes output production by keeping machine full
- Reinforces merchandizing by keeping machine's bowls full
- Eliminates potential human errors in process of premixing water and syrup
- No additional maintenance required



ADVANCED SOLUTIONS FOR COLD BEVERAGES  
SINCE 1961

Elmecco srl

Via Circumvallazione Esterna, 12  
80025 Casandrino, Napoli, Italy  
Tel +39 081 5055724 Fax +39 081 5055726  
info@elmecco.com - www.elmecco.com

Elmecco USA

6047 Tyvola Glen Circle  
Charlotte NC 28217, U.S.A.  
Tel: +1.877.435.6326 ext. 101 Fax: (704) 666-5141  
info@elmecco.com



## Accessories



### ELMECOCLEANER ecological cleaning

This professional, ecological cleaning solution has been specifically created for ElmeCo machines. Ideal for plastic and metal surfaces, like steel and aluminium, this gentle, streak-free formula cleans thoroughly without damaging surfaces. Plant-based cleaning solution. Does not contain animal-derived ingredients. Rapid biodegradability.



### TUCANO

Tucano, filling device for all types of granita makers. Allows for the easy, no-nonsense preparation of up to 4 litres of drink mix, syrup or other concentrates. The best solutions, specifically studied just for you.



### PICKIT programming kit

Electronic updates programming kit. Available for three models: First Class; BigBiz and Quickream. The kit comes complete with a CD, featuring all the video tutorials you need.





### DISABILITY HANDLE

RESPECT is a very important word at Elmeco. Because we're always listening and paying attention, Elmeco creates solutions that make using its products accessible to everyone. The result of a careful study of ergonomics, the new handle is a small and simple accessory, which provides disabled people with increased autonomy in their everyday activities – like filling a glass and enjoying a drink. Easy to use, simply attach the device to the existing handle and it's ready to go!



### RIDUTTORE FC

Reduces the diameter of the tap when using liquid products. Specifically designed for easy dispensing of liquid products or rinsing the transparent tank. Reducer created specifically for the First Class range

N.B: not recommended for use with creams




### RIDUTTORE BB

Reduces the diameter of the tap when using liquid products. Specifically designed for easy dispensing of liquid products or rinsing the transparent tank. Reducer created specifically for the BigBiz range.

N.B: not recommended for use with creams or slush.

# ELMECO *Kit*

Preventive Maintenance *kit*



# ELMECO Kit

rev.1\_ 31/03/2017



## BSmart/BLarge - C0000107-001

| Code         | Description             | QT. |
|--------------|-------------------------|-----|
| A0000118-001 | VASELINE                | x1  |
| A0000125-001 | CLEANER                 | x1  |
| L0000106-001 | GASKET TRANSPARENT TANK | x2  |
| B0003111-001 | OUTLET BACK GASKET      | x2  |
| B0003112-002 | O-RING 117              | x2  |
| B0004105-002 | VERTICAL AUGER+GEAR     | x2  |
| M0004105-002 | HORIZONTAL AUGER GEAR   | x2  |
| M0006102-003 | BLACK HINGE HOOK        | x4  |

## First Class - C0000109-001

|              |                         |    |
|--------------|-------------------------|----|
| A0000118-001 | VASELINE                | x1 |
| A0000125-001 | CLEANER                 | x1 |
| M0000106-001 | GASKET TRANSPARENT TANK | x3 |
| OR13000117   | O-RING 117              | x9 |
| M0003117-001 | OUTLET BACK GASKET      | x3 |
| M0004104-002 | PINION VERTICAL AUGER   | x3 |
| M0004105-002 | HORIZONTAL AUGER GEAR   | x3 |
| M0005159-001 | KIT CONTATTI            | x1 |
| M0006102-003 | BLACK HINGE HOOK        | x6 |

## Qsmart/ Quickcream - C0000108-001

|              |                         |    |
|--------------|-------------------------|----|
| A0000118-001 | VASELINE                | x1 |
| A0000125-001 | CLEANER                 | x1 |
| L0000106-001 | GASKET TRANSPARENT TANK | x1 |
| B0003111-001 | OUTLET BACK GASKET      | x1 |
| B0003112-002 | O-RING 117              | x1 |
| B0004110-004 | PINION VERTICAL AUGER   | x1 |
| B0004112-004 | HORIZONTAL AUGER GEAR   | x1 |
| M0006102-003 | BLACK HINGE HOOK        | x2 |

## BigBiz - C0000110-001

|              |                         |    |
|--------------|-------------------------|----|
| A0000118-001 | VASELINE                | x1 |
| A0000125-001 | CLEANER                 | x1 |
| L0000106-001 | GASKET TRANSPARENT TANK | x2 |
| M0003117-001 | OUTLET BACK GASKET      | x2 |
| OR13000117   | O-RING 117              | x6 |
| M0004104-002 | PINION VERTICAL AUGER   | x2 |
| M0004105-002 | HORIZONTAL AUGER GEAR   | x2 |
| M0006102-003 | BLACK HINGE HOOK        | x4 |





## exclusive features

MULTIFUNCTIONAL/ MULTIBUSINESS



*Quality & flavour  
until  
the very last drop*

NO GASKET, NO LEAKING



NO  
SEAL

TOTAL COLD SYSTEM



ELECTRONIC HEART



PREVENTIVE CONTAMINATION SYSTEM



QUICK & EASY TO DISASSEMBLE & CLEAN



**5 years** - compressor  
**3 years** - electronic board  
**2 years** - parts, motor gear

